


10倍深高速鋼深孔鑽頭

TDXL 10D



注1) 從2012年6月起開始使用WXL塗層製造。



10D用

單位:mm Unit:mm

產品編號 EDP NO.	外徑 Dc	刃長 ℓ	全長 L	柄徑 Ds	在庫 Stock	重量 Weight	
8622816	1.5 × 10D	26	70	1.5	□	—	
8622817	1.6 × 10D			1.6	B	4	
8622818	1.7 × 10D			1.7	□	—	
8622818	1.8 × 10D			1.8	B	4	
8622820	1.9 × 10D	33	75	1.9	□	—	
8622820	2 × 10D			2		4	
8622821	2.1 × 10D			2.1		4	
8622822	2.2 × 10D			2.2		4	
8622823	2.3 × 10D	40	90	2.3		5	
8622824	2.4 × 10D			2.4		5	
8622825	2.5 × 10D			2.5		5	
8622826	2.6 × 10D			2.6		6	
8622827	2.7 × 10D	45	100	2.7		6	
8622828	2.8 × 10D			2.8		6	
8622829	2.9 × 10D			2.9		7	
8622830	3 × 10D			3		7	
8622831	3.1 × 10D	50	115	3.1		7	
8622832	3.2 × 10D			3.2		7	
8622833	3.3 × 10D			3.3		8	
8622834	3.4 × 10D			3.4		8	
8622835	3.5 × 10D	55	130	3.5	B	9	
8622836	3.6 × 10D			3.6		9	
8622837	3.7 × 10D			3.7		9	
8622838	3.8 × 10D			3.8		10	
8622839	3.9 × 10D	60	145	3.9		10	
8622840	4 × 10D			4		10	
8622841	4.1 × 10D			4.1		14	
8622842	4.2 × 10D			4.2		14	
8622843	4.3 × 10D	65	160	4.3		14	
8622844	4.4 × 10D			4.4		14	
8622845	4.5 × 10D			4.5		15	
8622846	4.6 × 10D			4.6		15	
8622847	4.7 × 10D	70	175	4.7		15	
8622848	4.8 × 10D			4.8		17	
8622849	4.9 × 10D			4.9		17	
8622850	5 × 10D			5		17	

產品編號 EDP NO.	外徑 Dc	刃長 ℓ	全長 L	柄徑 Ds	在庫 Stock	重量 Weight	
8622851	5.1 × 10D	70	128	5.1		21	
8622852	5.2 × 10D			5.2		22	
8622853	5.3 × 10D			5.3		23	
8622854	5.4 × 10D			5.4		22	
8622855	5.5 × 10D	78	136	5.5		23	
8622856	5.6 × 10D			5.6		24	
8622857	5.7 × 10D			5.7		24	
8622858	5.8 × 10D			5.8		25	
8622859	5.9 × 10D	87	144	5.9		25	
8622860	6 × 10D			6		26	
8622861	6.1 × 10D			6.1		31	
8622862	6.2 × 10D			6.2		31	
8622863	6.3 × 10D	90	147	6.3		32	
8622864	6.4 × 10D			6.4		33	
8622865	6.5 × 10D			6.5		34	
8622866	6.6 × 10D			6.6		34	
8622867	6.7 × 10D	90	150	6.7		36	
8622868	6.8 × 10D			6.8		36	
8622869	6.9 × 10D			6.9		37	
8622870	7 × 10D			7		38	
8622871	7.1 × 10D	100	153	7.1		38	
8622872	7.2 × 10D			7.2		39	
8622873	7.3 × 10D			7.3		41	
8622874	7.4 × 10D			7.4		42	
8622875	7.5 × 10D	105	156	7.5		43	
8622876	7.6 × 10D			7.6		43	
8622877	7.7 × 10D			7.7		44	
8622878	7.8 × 10D			7.8		45	
8622879	7.9 × 10D	110	159	7.9		45	
8622880	8 × 10D			8		47	
8622881	8.1 × 10D			8.1		51	
8622882	8.2 × 10D			8.2		51	
8622883	8.3 × 10D	115	162	8.3		53	
8622884	8.4 × 10D			8.4		54	
8622885	8.5 × 10D			8.5		56	
8622886	8.6 × 10D			8.6		55	



製品記號 Abbreviation	被削材 Work Material	低炭素鋼 Low Carbon Steel	中炭素鋼 Medium Carbon Steel	高炭素鋼 High Carbon Steel	合金鋼 Alloy Steel	調質鋼 Hardened Steel		淬火鋼 Quenched and Tempered Steel			不鏽鋼 Stainless Steel	工具鋼 Tool Steel	鑄鐵 Cast Iron	強韌鑄鐵 Ductile Cast Iron	銅合金 Copper Alloy	鋁 Aluminum	鋁合金 Aluminum Alloy Casting	鈦 合金 Titanium Alloy	鎳基 合金 Inconel®	複合材料 Composite Material	鎂合金 Magnesium Alloy	金屬 複合材料 (MMC) Metal Matrix Composites	
	C~0.25%	0.25~0.45%	C0.45%~	SCM	~ 35 HRC	35 ~ 45 HRC	45 ~ 50 HRC	50 ~ 62 HRC	62 ~ 70 HRC	SUS	SKD SKS	FC	FCD	Cu	AL	AC				CFRP	AZ91D		
TDXL		○	○	○	○								○				○					○	

單位:mm Unit:mm


產品編號 EDP NO.	外徑 Dc	刃長 ℓ	全長 L	柄徑 Ds	在庫 Stock	重量 Weight	
8622887	8.7 × 10D	115	165	8.7	B	57	
8622888	8.8 × 10D			8.8		58	
8622889	8.9 × 10D			8.9		59	
8622890	9 × 10D	125	190	9	B	60	
8622891	9.1 × 10D			9.1		74	
8622892	9.2 × 10D			9.2		76	
8622893	9.3 × 10D			9.3		77	
8622894	9.4 × 10D			9.4		77	
8622895	9.5 × 10D			9.5		77	
8622896	9.6 × 10D	130	190	9.6	B	80	
8622897	9.7 × 10D			9.7		81	
8622898	9.8 × 10D			9.8		83	
8622899	9.9 × 10D			9.9		83	
8622900	10 × 10D	140	205	10	B	85	
8622901	10.1 × 10D			10.1		94	
8622902	10.2 × 10D			10.2		96	
8622903	10.3 × 10D			10.3		97	

產品編號 EDP NO.	外徑 Dc	刃長 ℓ	全長 L	柄徑 Ds	在庫 Stock	重量 Weight	
8622904	10.4 × 10D	140	205	10.4	B	100	
8622905	10.5 × 10D			10.5		101	
8622906	10.6 × 10D			10.6		100	
8622907	10.7 × 10D	145	205	10.7	B	103	
8622908	10.8 × 10D			10.8		104	
8622909	10.9 × 10D			10.9		106	
8622910	11 × 10D			11		108	
8622911	11.1 × 10D	155	215	11.1	B	116	
8622912	11.2 × 10D			11.2		119	
8622913	11.3 × 10D			11.3		120	
8622914	11.4 × 10D			11.4		122	
8622915	11.5 × 10D			11.5		123	
8622916	11.6 × 10D			11.6		127	
8622917	11.7 × 10D			11.7		127	
8622918	11.8 × 10D			11.8		129	
8622919	11.9 × 10D			11.9		132	
8622920	12 × 10D			12		134	



15倍深高速鋼深孔鑽頭

TDXL 15D



注1) 從2012年6月起開始使用WXL塗層製造。



15D用

單位:mm Unit:mm

產品編號 EDP NO.	外徑 Dc	刃長 ℓ	全長 L	柄徑 Ds	在庫 Stock	重量 Weight	
	1.5 × 15D			1.5	□		
8623016	1.6 × 15D	30	70	1.6	B	3	
	1.7 × 15D			1.7	□	—	
8623018	1.8 × 15D	34	75	1.8	B	4	
	1.9 × 15D			1.9	□	—	
8623020	2 × 15D	36		2		4	
8623021	2.1 × 15D	38	80	2.1		4	
8623022	2.2 × 15D	40		2.2		4	
8623023	2.3 × 15D	42		2.3		5	
8623024	2.4 × 15D	44	85	2.4		5	
8623025	2.5 × 15D	46		2.5		5	
8623026	2.6 × 15D	48		2.6		5	
8623027	2.7 × 15D		100	2.7		6	
8623028	2.8 × 15D	50		2.8		6	
8623029	2.9 × 15D		105	2.9		9	
8623030	3 × 15D	54		3		9	
8623031	3.1 × 15D	56		3.1		9	
8623032	3.2 × 15D	58	110	3.2		10	
8623033	3.3 × 15D	60		3.3		10	
8623034	3.4 × 15D	62		3.4	B	10	
8623035	3.5 × 15D	64	115	3.5		11	
8623036	3.6 × 15D	66		3.6		11	
8623037	3.7 × 15D	68		3.7		13	
8623038	3.8 × 15D		120	3.8		12	
8623039	3.9 × 15D	70		3.9		13	
8623040	4 × 15D	72		4		13	
8623041	4.1 × 15D	74	135	4.1		13	
8623042	4.2 × 15D	76		4.2		14	
8623043	4.3 × 15D	78		4.3		15	
8623044	4.4 × 15D	80	140	4.4		15	
8623045	4.5 × 15D	82		4.5		15	
8623046	4.6 × 15D	84		4.6		17	
8623047	4.7 × 15D		145	4.7		17	
8623048	4.8 × 15D	86		4.8		18	

產品編號 EDP NO.	外徑 Dc	刃長 ℓ	全長 L	柄徑 Ds	在庫 Stock	重量 Weight	
8623049	4.9 × 15D	88		4.9		19	
8623050	5 × 15D	90	150	5		19	
8623051	5.1 × 15D	92		5.1		20	
8623052	5.2 × 15D	94		5.2		21	
8623053	5.3 × 15D	96	155	5.3	B	22	
8623054	5.4 × 15D	98		5.4		23	
8623055	5.5 × 15D	100		5.5		23	
8623056	5.6 × 15D	102	160	5.6		24	
8623057	5.7 × 15D	104		5.7		26	
8623058	5.8 × 15D		165	5.8		27	
	5.9 × 15D	106		5.9	□	—	
8623060	6 × 15D	108		6	B	29	
	6.1 × 15D	110	170	6.1	□	—	
8623062	6.2 × 15D	112		6.2	B	33	
8623063	6.3 × 15D	114		6.3		34	
	6.4 × 15D	116	175	6.4	□	—	
8623065	6.5 × 15D	118		6.5	B	45	
8623066	6.6 × 15D	120		6.6		45	
	6.7 × 15D	122		6.7	□	—	
8623068	6.8 × 15D	124		6.8		48	
8623069	6.9 × 15D		200	6.9	B	49	
8623070	7 × 15D	126		7		50	
8623071	7.1 × 15D	128		7.1		50	
	7.2 × 15D	130		7.2		—	
	7.3 × 15D	132		7.3	□	—	
	7.4 × 15D	134		7.4		—	
8623075	7.5 × 15D	136		7.5	B	56	
	7.6 × 15D	138	205	7.6		—	
	7.7 × 15D	140		7.7		—	
	7.8 × 15D	142		7.8	□	—	
	7.9 × 15D	144		7.9		—	
8623080	8 × 15D	146	215	8		65	
8623081	8.1 × 15D	146		8.1	B	66	
8623082	8.2 × 15D	148	220	8.2		69	



被削材 Work Material	低碳素鋼	中炭素鋼	高炭素鋼	合金鋼	調質鋼		淬火鋼			不鏽鋼	工具鋼	鑄鐵	強韌鑄鐵	銅合金	鋁	鋁合金	鈦合金	鎳基合金	複合材料	鎂合金	金屬 複合材料 (MMC)	
	Low Carbon Steel	Medium Carbon Steel	High Carbon Steel	Alloy Steel	Hardened Steel		Quenched and Tempered Steel			Stainless Steel	Tool Steel	Cast Iron	Ductile Cast Iron	Copper Alloy	Aluminum	Aluminum Alloy Casting	Titanium Alloy	Inconel®	Composite Material	Magnesium Alloy	Metal Matrix Composites	
製品記號 Abbreviation	C~0.25%	0.25~0.45%	C0.45%~	SCM	~ 35 HRC	35 ~ 45 HRC	45 ~ 50 HRC	50 ~ 62 HRC	62 ~ 70 HRC	SUS	SKD SKS	FC	FCD	Cu	AL	AC			CFRP	AZ91D		
TDXL	○	○	○	○								○	○			○					○	

單位:mm Unit:mm


產品編號 EDP NO.	外徑 Dc	刃長 ℓ	全長 L	柄徑 Ds	在庫 Stock	重量 Weight	
	8.3 × 15D	150	220	8.3	□	—	—
	8.4 × 15D	152		8.4	□	—	—
8623085	8.5 × 15D	154	225	8.5	B	74	11,000
8623086	8.6 × 15D	156		8.6		76	19,300
	8.7 × 15D	158	230	8.7	□	—	—
8623088	8.8 × 15D	160		8.8	B	81	19,300
	8.9 × 15D	162	240	8.9	□	—	—
8623090	9 × 15D	164		9	B	83	12,500
	9.1 × 15D	166	245	9.1	□	—	—
8623093	9.2 × 15D	168		9.2	B	92	17,800
	9.3 × 15D	170	250	9.3	□	—	—
8623095	9.4 × 15D	172		9.4	B	93	14,100
	9.5 × 15D	174	255	9.5	□	—	—
8623097	9.6 × 15D	176		9.6	B	99	22,400
8623098	9.7 × 15D	178	260	9.7	B	101	19,500
	9.8 × 15D	180		9.8		—	—
	9.9 × 15D	182	265	9.9	□	—	—
8623100	10 × 15D	180		10	B	107	15,900
	10.1 × 15D	182	270	10.1	□	—	—
				10.1	□	—	—

產品編號 EDP NO.	外徑 Dc	刃長 ℓ	全長 L	柄徑 Ds	在庫 Stock	重量 Weight	
	10.2 × 15D	184	250	10.2	□	—	—
	10.3 × 15D	186		10.3		—	—
	10.4 × 15D	188	260	10.4	□	—	—
8623105	10.5 × 15D	190		10.5		B	128
	10.6 × 15D	192	270	10.6	□	—	—
	10.7 × 15D	194		10.7		—	—
	10.8 × 15D	196	280	10.8	□	—	—
	10.9 × 15D	198		10.9		—	—
8623110	11 × 15D	200	285	11	B	147	20,400
	11.1 × 15D	200		11.1		—	—
	11.2 × 15D	202	290	11.2	□	—	—
	11.3 × 15D	204		11.3		—	—
	11.4 × 15D	206	295	11.4	□	—	—
8623115	11.5 × 15D	208		11.5		B	165
	11.6 × 15D	210	300	11.6	□	—	—
	11.7 × 15D	212		11.7		—	—
8623118	11.8 × 15D	214	305	11.8	B	175	31,600
	11.9 × 15D	216		11.9		□	—
8623120	12 × 15D	216	310	12	B	185	24,300
				12		□	—



20倍深高速鋼深孔鑽頭

TDXL 20D



注1) 從2012年6月起開始使用WXL塗層製造。



20D用

單位:mm Unit:mm

產品編號 EDP NO.	外徑 Dc	刃長 ℓ	全長 L	柄徑 Ds	在庫 Stock	重量 Weight	
8623216	1.5 × 20D	38	85	1.5	□	—	
	1.6 × 20D	40		1.6	B	4	
8623218	1.7 × 20D	42		1.7	□	—	
	1.8 × 20D	44		1.8	B	4	
	1.9 × 20D	44		1.9	□	—	
8623220	2 × 20D	46	90	2		4	
8623221	2.1 × 20D	50		2.1		5	
8623222	2.2 × 20D	52		2.2		5	
8623223	2.3 × 20D	54	95	2.3		5	
8623224	2.4 × 20D	56		2.4		5	
8623225	2.5 × 20D	58	100	2.5		5	
8623226	2.6 × 20D	60	110	2.6		6	
8623227	2.7 × 20D	64	115	2.7		8	
8623228	2.8 × 20D	66		2.8	B	8	
8623229	2.9 × 20D	68	120	2.9		9	
8623230	3 × 20D	70		3		9	
8623231	3.1 × 20D	72	125	3.1		10	
8623232	3.2 × 20D	74		3.2		10	
8623233	3.3 × 20D	76		3.3		10	
8623234	3.4 × 20D	80	130	3.4		12	
8623235	3.5 × 20D	82		3.5		13	
	3.6 × 20D	84		3.6	□	—	
8623237	3.7 × 20D	86	135	3.7	B	11	
8623238	3.8 × 20D	88	140	3.8		12	
	3.9 × 20D	90	140	3.9	□	—	
8623240	4 × 20D	92		4		12	
8623241	4.1 × 20D	96	155	4.1		14	
8623242	4.2 × 20D	98		4.2	B	14	
8623243	4.3 × 20D	100	160	4.3		15	
	4.4 × 20D	102		4.4	□	—	
8623245	4.5 × 20D	104	165	4.5		17	
8623246	4.6 × 20D	106		4.6	B	18	
	4.7 × 20D	108		4.7	□	—	
8623248	4.8 × 20D	112	170	4.8	B	19	
	4.9 × 20D	114		4.9	□	—	

產品編號 EDP NO.	外徑 Dc	刃長 ℓ	全長 L	柄徑 Ds	在庫 Stock	重量 Weight	
8623250	5 × 20D	116	175	5		24	
8623251	5.1 × 20D	118	180	5.1	B	25	
8623252	5.2 × 20D	120		5.2		25	
	5.3 × 20D	122		5.3		—	
	5.4 × 20D	124		5.4	□	—	
8623255	5.5 × 20D	128	185	5.5	B	28	
	5.6 × 20D	130		5.6	□	—	
8623257	5.7 × 20D	132	190	5.7		30	
8623258	5.8 × 20D	134		5.8	B	32	
	5.9 × 20D	136		5.9	□	—	
8623260	6 × 20D	138	200	6	B	34	
	6.1 × 20D	140		6.1		—	
	6.2 × 20D	144		6.2	□	—	
8623263	6.3 × 20D	146	200	6.3	B	39	
	6.4 × 20D	148		6.4	□	—	
8623265	6.5 × 20D	150	225	6.5	B	47	
	6.6 × 20D	152		6.6		—	
	6.7 × 20D	154		6.7	□	—	
8623268	6.8 × 20D	158	230	6.8		50	
8623269	6.9 × 20D	160		6.9	B	52	
8623270	7 × 20D	162	230	7		53	
	7.1 × 20D	164		7.1		—	
	7.2 × 20D	166	235	7.2		—	
	7.3 × 20D	168		7.3	□	—	
	7.4 × 20D	172		7.4		—	
8623275	7.5 × 20D	174	245	7.5	B	63	
	7.6 × 20D	176		7.6		—	
	7.7 × 20D	178		7.7		—	
	7.8 × 20D	180	245	7.8	□	—	
	7.9 × 20D	182		7.9		—	
8623280	8 × 20D	184	260	8		74	
8623281	8.1 × 20D	188		8.1	B	75	
8623282	8.2 × 20D	190		8.2		79	
	8.3 × 20D	192		8.3		—	
	8.4 × 20D	194		8.4	□	—	



製品記號 Abbreviation	被削材 Work Material	低炭素鋼 Low Carbon Steel	中炭素鋼 Medium Carbon Steel	高炭素鋼 High Carbon Steel	合金鋼 Alloy Steel	調質鋼 Hardened Steel		淬火鋼 Quenched and Tempered Steel				不鏽鋼 Stainless Steel	工具鋼 Tool Steel	鑄鐵 Cast Iron	強韌鑄鐵 Ductile Cast Iron	銅合金 Copper Alloy	鋁 Aluminum	鋁合金 Aluminum Alloy Casting	鈦 合金 Titanium Alloy	鎳基 合金 Inconel®	複合材料 Composite Material	鎂合金 Magnesium Alloy	金屬 複合材料 (MMC) Metal Matrix Composites
	C~0.25%	0.25~0.45%	C0.45%~	SCM	~ 35 HRC	35 ~ 45 HRC	45 ~ 50 HRC	50 ~ 62 HRC	62 ~ 70 HRC	SUS	SKD SKS	FC	FCD	Cu	AL	AC				CFRP	AZ91D		
TDXL		○	○	○	○													○					○

單位:mm Unit:mm

產品編號 EDP NO.	外徑 Dc	刃長 ℓ	全長 L	柄徑 Ds	在庫 Stock	重量 Weight	
8623285	8.5 × 20D	196	265	8.5	B	84	
	8.6 × 20D	198		8.6		—	
	8.7 × 20D	200		8.7		—	
	8.8 × 20D	204		8.8	□	—	
	8.9 × 20D	206		8.9		—	
8623290	9 × 20D	208	275	9	B	95	
	9.1 × 20D	210		9.1		—	
	9.2 × 20D	212	280	9.2		—	
	9.3 × 20D	214		9.3		—	
	9.4 × 20D	218	285	9.4		—	
	9.5 × 20D	220		9.5	□	—	
	9.6 × 20D	222		9.6		—	
	9.7 × 20D	224	290	9.7		—	
	9.8 × 20D	226		9.8		—	
	9.9 × 20D	228		9.9		—	
8623300	10 × 20D	230	300	10	B	122	
	10.1 × 20D	234		10.1		—	
	10.2 × 20D	236		10.2	□	—	

產品編號 EDP NO.	外徑 Dc	刃長 ℓ	全長 L	柄徑 Ds	在庫 Stock	重量 Weight	
	10.3 × 20D	238	310	10.3		—	
	10.4 × 20D	240		10.4		—	
	10.5 × 20D	242		10.5		—	
	10.6 × 20D	244	320	10.6	□	—	
	10.7 × 20D	246		10.7		—	
	10.8 × 20D	250	330	10.8		—	
	10.9 × 20D	252		10.9		—	
8623310	11 × 20D	254	350	11	B	178	
	11.1 × 20D	256		11.1		—	
	11.2 × 20D	258		11.2		—	
	11.3 × 20D	260		11.3		—	
	11.4 × 20D	264		11.4		—	
	11.5 × 20D	266		11.5	□	—	
	11.6 × 20D	268		11.6		—	
	11.7 × 20D	270		11.7		—	
	11.8 × 20D	272		11.8		—	
	11.9 × 20D	274		11.9		—	
8623320	12 × 20D	276	12	B	200		

